



Bitumen

R85/25

Bitumen Types and Their Uses:

- *Paving Grades* - road surfacing, and some industrial applications
- *Hard Grades* - paints and enamels etc
- *Oxidized/Blown Grades* - roofing, waterproofing, electrical products, and many others
- *Cutback Bitumen* - spraying and some mixing applications
- *Bitumen Emulsions* - used largely in road surfacing applications
- *Polymer Modified Binders (PMBs)* - there are different types and they can be used for many of the applications mentioned above

Index:

Penetration Bitumen R85/25	Specification	Test Method
Specific Gravity @ 25/25 C	1.05 approx	D-70
Penetration @ 25 C	20/30	D-5
Softening Point C	80/90	D-36
Ductility @ 25 C	3 Min	D-113
Loss On Heating (wt)%	0.2 Max	D-6
Flash Point C	225 Min	D-92
Solubility In CS (wt)%	99 Min	D-4

Description:

Bitumen suitable for road construction and for the production of asphalt pavements with superior properties. Penetration Grade bitumen's are specified by the penetration and softening point test. Designation is by penetration range only. The penetration grade bitumen's have a thermoplastic property which causes the material to soften at high temperatures and to harden at lower temperatures.

AZURE VISION Sdn. Bhd.

A4-2-7 Solaris Dutamas, No.1, Jalan Dutamas 1, 50480,Kuala Lumpur

Tel : +603 62 112 110

Fax : +603 62 0789 77

Website : www.azurevision.com.my

Email : info@azurevision.com.my